



Specifications Ledvance LED Panel  
IndiviLED 33W 4000lm - 840 Cool  
White | 60x60cm - UGR <16 - Zigbee  
Dimmable

[View Product](#)

## General Information

|                      |                               |
|----------------------|-------------------------------|
| SKU                  | 240877                        |
| EAN                  | 4058075521841                 |
| Manufacturer Code    | 4058075521841                 |
| Brand                | Ledvance                      |
| Manufacturer Name    | PANEL INDV 600 ZBVR 33W/4000K |
| Budgetlight warranty | 5 Years                       |
| Average Lifetime (h) | 60000                         |
| Product Serie        | IndiviLED                     |

## Technical Information

|                             |                      |
|-----------------------------|----------------------|
| Technology                  | LED Integrated       |
| Wireless connection         | Zigbee               |
| Lighting Control            | Zigbee               |
| Replaces (Watt)             | 4x18                 |
| Wattage                     | 33W                  |
| Voltage (V)                 | 220-240              |
| Dimmable                    | Dimmable with Zigbee |
| Colour Code                 | 840 Cool White       |
| Colour temperature (Kelvin) | 4000 Cool White      |
| Colour Rendering (Ra)       | 80-89                |

|                        |                        |
|------------------------|------------------------|
| Colour of Light        | White                  |
| Light Colour Options   | Single Color           |
| Including bulb         | Yes                    |
| Luminous Flux (Lumen)  | 4000lm                 |
| Lumen per watt         | 121                    |
| IP-rating              | IP40                   |
| Impact Protection (IK) | IK08 - 5 joules        |
| Fixture Connection     | Screw terminal, 2-pole |
| Powerfactor            | >0.90                  |
| Type product           | LED Panel              |

## Fixture Information

|                       |                                |
|-----------------------|--------------------------------|
| Mounting Method       | Recessed                       |
| Unified Glare Rating  | < 16 - for offices and schools |
| Optische Afdekking    | PC (Polycarbonate)             |
| Bedrijfstemperatuur   | -20 to +45                     |
| Emergency Lighting    | No                             |
| Colour of the Fixture | White                          |
| Housing               | Aluminium                      |
| Colour of material    | White                          |

## Dimensions

|                       |         |
|-----------------------|---------|
| Afmetingen LED Paneel | 60x60cm |
| Length (mm)           | 595     |
| Width (mm)            | 595     |
| Height (mm)           | 50      |

## Sensor Information

Type of sensor

No Sensor

## Why Budgetlight?



Guaranteed **budget prices**



Up to **7 years warranty**



**Easy** return process



Long-life **LED solutions**

